

# TABLE OF CONTENTS

---

	Page
<b>INTRODUCTION</b>	
<b>CHAPTER 1. GEOMORPHIC ASSESSMENT OF CREEK SYSTEMS.....</b>	<b>1-1</b>
1.1 INTRODUCTION.....	1-1
1.2 RECONNAISSANCE SURVEY AND FIELD SKETCHES.....	1-1
1.3 GEOMORPHIC SURVEY AND ASSESSMENT .....	1-2
1.3.1 Bankfull Cross Section and Discharge.....	1-2
1.3.2 Plan-form Measurements.....	1-4
1.3.3 Longitudinal Profile .....	1-6
1.3.4 Sediment Material Sampling and Developing Sediment Rating Curve .....	1-10
<b>CHAPTER 2. PROCEDURES FOR STABLE CHANNEL DESIGN AND ANALYSIS .....</b>	<b>2-1</b>
2.1 INTRODUCTION.....	2-1
2.2 PROCEDURES FOR STABLE CHANNEL DESIGN .....	2-2
<b>CHAPTER 3. GRADE CONTROL STRUCTURE DESIGN .....</b>	<b>3-1</b>
3.1 INTRODUCTION.....	3-1
3.2 DESIGN CONSIDERATIONS .....	3-1
3.2.1 Design Flow.....	3-1
3.2.2 Hydraulic Considerations.....	3-2
3.2.3 Geomorphologic Considerations.....	3-5
3.2.4 Geotechnical Considerations .....	3-6
3.2.5 Flood-Control Considerations .....	3-6
3.2.6 Environmental and Ecological Considerations .....	3-6
3.3 DESIGN PROCEDURE.....	3-6
3.3.1 Sediment Transport Analysis .....	3-7
3.3.2 Hydraulic Siting Calculation .....	3-7
3.3.3 Field Data Collection.....	3-8
3.3.4 Type of Grade Control .....	3-8
3.4 GRADE CONTROL STRUCTURE DESIGN.....	3-9
3.4.1 Incised Channel.....	3-9
3.4.1.1 Log Weir .....	3-9
3.4.1.2 Straight Rock Weir.....	3-17
3.4.2 Bankfull-and-Floodplain Channel .....	3-19

	<b>Page</b>
3.4.2.1 Vortex Weir .....	3-19
3.4.2.2 Newberry Riffle .....	3-22
<b>CHAPTER 4. CHANNEL BANK PROTECTION DESIGN.....</b>	<b>4-1</b>
4.1 INTRODUCTION.....	4-1
4.2 FIELD INVESTIGATION .....	4-1
4.3 DESIGN CONSIDERATIONS .....	4-2
4.3.1 Design Flow.....	4-3
4.3.2 Geomorphological Considerations .....	4-4
4.3.3 Geotechnical Considerations .....	4-4
4.3.4 Flood Control Considerations .....	4-4
4.3.5 Environmental Considerations .....	4-5
4.3.6 No-Project Consideration.....	4-5
4.4 TYPES OF BANK EROSION .....	4-5
4.4.1 Toe Erosion .....	4-6
4.4.2 Steep Slope Erosion.....	4-7
4.4.3 Mild Slope Erosion.....	4-9
4.5 BANK PROTECTION METHODS .....	4-10
4.5.1 Toe Protection Methods.....	4-14
4.5.1.1 Rock Toe Protection .....	4-14
4.5.1.2 Rootwad and Rock Toe Protection .....	4-16
4.5.1.3 Log Toe Protection .....	4-21
4.5.2 Steep Slope Protection.....	4-23
4.5.2.1 Geocell Slope Protection (Soil Cellular Confinement Systems).....	4-24
4.5.2.2 Log Mattress Protection .....	4-26
4.5.2.3 Log Crib Wall Protection .....	4-32
4.5.2.4 Conversion to Mild Slope .....	4-37
4.5.3 Mild Slope Protection.....	4-39
4.5.3.1 Natural Fiber Roll Protection.....	4-39
4.5.3.2 Brush Mattress Protection.....	4-42
4.5.3.3 Brush Layering .....	4-45
4.5.3.4 Rock Riprap.....	4-48
4.5.3.5 Vegetated Rock Riprap.....	4-51
4.5.3.6 Lunger Protection.....	4-52
4.6 SOIL ENGINEERING PLANT SPECIES FOR SANTA CLARA COUNTY.....	4-53
4.6.1 Trees .....	4-53
4.6.2 Shrubs and Vines .....	4-54
4.6.3 Groundcovers and Herbaceous Perennials .....	4-54
4.6.4 Turf Grasses.....	4-54

<b>CHAPTER 5. MISCELLANEOUS HYDRAULIC STRUCTURE DESIGNS AND CONSIDERATIONS.....</b>	<b>5-1</b>
5.1 GENERAL.....	5-1
5.2 RIPRAP PROTECTION DESIGN.....	5-1
5.2.1 Rock Sizing .....	5-1
5.2.1.1 Channel Bed and Bank Protection .....	5-1
5.2.1.2 Rock Weir .....	5-11
5.2.1.3 Scour Pool .....	5-11
5.2.1.4 Stilling Basin and Conduit Outlet.....	5-13
5.2.1 Filter Design .....	5-13
5.2.2.1 Filter Fabric.....	5-14
5.2.2.2 Granular Gravel .....	5-15
5.2.3 Grouted Riprap Design .....	5-16
5.3 DETENTION BASIN DESIGN .....	5-17
5.3.1 Design Criteria and Considerations .....	5-19
5.3.1.1 Peak Flow Reduction.....	5-20
5.3.1.2 Storage Volume.....	5-20
5.3.1.3 Inlet Design.....	5-20
5.3.1.4 Outlet Design.....	5-21
5.3.1.5 Operation and Maintenance.....	5-21
5.3.2 Layout and Design Procedure .....	5-22
5.3.3 Design Elements and Methods .....	5-22
5.3.3.1 Inlet .....	5-22
5.3.3.2 Basin .....	5-23
5.3.3.3 Outlet.....	5-23
5.3.3.4 Emergency Release Structure .....	5-24
5.4 TERMINAL STRUCTURE DESIGN.....	5-25
5.4.1 Storm Drain Outlets .....	5-25
5.4.2 Hydraulic-Jump Stilling Basin .....	5-30
5.4.3 Chute Drop Channel.....	5-36
5.4.4 Impact Stilling Basin .....	5-38
5.4.5 Scour Hole (Plunge Pool) .....	5-41
5.4.5.1 Scour Hole Downstream of Drop Structures .....	5-41
5.4.5.2 Scour Hole downstream of Pipe Outlets .....	5-44
5.5 OTHER DESIGNS AND CONSIDERATIONS .....	5-46
5.5.1 Channel Transitions.....	5-46
5.5.2 Boundary Conditions .....	5-47
5.5.2.1 A Note on Boundary Condition.....	5-48
5.5.2.2 Boundary Condition Outside of Tidal Zone.....	5-48
5.5.2.3 Boundary Conditions in Tidal Zone .....	5-49
5.5.3 Risk-Based Analysis .....	5-50

	<b>Page</b>
5.5.4 Freeboard.....	5-50
5.5.4.1 FEMA Requirements .....	5-50
5.5.4.2 USACE Requirements .....	5-51
5.5.4.3 SCVWD Requirements .....	5-51
<b>CHAPTER 6. FISH PASSAGE DESIGN.....</b>	<b>6-1</b>
6.1 INTRODUCTION.....	6-1
6.2 TYPES OF OBSTRUCTIONS .....	6-1
6.3 TYPES OF FISH .....	6-3
6.4 DESIGN CONSIDERATIONS .....	6-4
6.4.1 Design Flows .....	6-4
6.4.2 Step Height.....	6-7
6.4.3 Water Depth .....	6-7
6.4.4 Energy Dissipation.....	6-7
6.5 OPEN CHANNEL FISH PASSAGE IMPROVEMENTS .....	6-8
6.5.1 Pool and Weir Fishways .....	6-9
6.5.2 Vertical Slot Fishways.....	6-14
6.5.3 Denil Fishways .....	6-16
6.6 FISH PASSAGE IMPROVEMENTS FOR CULVERTS .....	6-17
<b>CHAPTER 7. BASIC PRINCIPLES .....</b>	<b>7-1</b>
7.1 OPEN CHANNEL AND ITS PROPERTIES .....	7-1
7.1.1 Types of Open Channel.....	7-1
7.1.2 Types of Flow .....	7-5
7.2 DIMENSIONALITY.....	7-7
7.3 CONSERVATION OF MASS.....	7-8
7.4 CONSERVATION OF ENERGY.....	7-9
7.4.1 Hydrostatic Pressure Distribution.....	7-10
7.4.2 Specific Energy.....	7-12
7.4.3 Critical Flow and the Froude Number.....	7-14
7.4.4 Subcritical and Supercritical Flows .....	7-16
7.4.5 Applications of the Energy Principle.....	7-16

	<b>Page</b>
7.5 CONSERVATION OF MOMENTUM .....	7-17
7.5.1 The Momentum Function .....	7-19
7.5.2 The M-y Relationship .....	7-19
7.6 FLOW RESISTANCE .....	7-21
7.6.1 Uniform Flow Calculations .....	7-26
7.6.2 Non-Uniform Flow Analysis .....	7-26
7.7 CHANNEL CONTROLS AND TRANSITIONS .....	7-29
7.7.1 Concept of Channel Control .....	7-29
7.7.2 Weirs, Spillways and Drop Structures .....	7-29
7.7.3 Hydraulic Jump .....	7-33
7.7.4 Expansions and Contractions .....	7-35
7.7.5 Channel Bend .....	7-37
7.7.6 Culverts .....	7-39
7.7.7 Bridge Piers .....	7-41
7.8 UNSTEADY FLOW .....	7-42
7.8.1 Unsteady Water Surface Profile Computation .....	7-42
<b>CHAPTER 8. SEDIMENTATION AND EROSION HYDRAULICS .....</b>	<b>8-1</b>
8.1 INTRODUCTION .....	8-1
8.2 PROPERTIES OF SEDIMENT .....	8-3
8.2.1 Particle Size .....	8-3
8.2.2 Particle Shape .....	8-4
8.2.3 Specific Gravity of Particles .....	8-5
8.2.4 Fall Velocity .....	8-5
8.2.5 Sediment Size Distribution and Gradation Curves .....	8-5
8.3 SEDIMENT LOAD IN ALLUVIAL CHANNELS .....	8-6
8.3.1 Sediment Transport Analysis .....	8-8
8.3.2 Suspended Load .....	8-8
8.3.3 Bed Load .....	8-11
8.3.4 Transition Between Bed Load and Suspended Load .....	8-14
8.3.5 Total Bed Material Sediment Load .....	8-14
8.4 RESISTANCE TO FLOW .....	8-15
8.4.1 Common Resistance Parameters and Sediment Characteristics .....	8-15
8.4.2 Bed Forms .....	8-16
8.4.3 Boundary Shear Stress Calculations .....	8-17
8.4.4 Incipient Motion Analysis .....	8-19

	<b>Page</b>
8.5 SEDIMENT TRANSPORT EQUATIONS.....	8-21
8.5.1 Meyer-Peter and Muller Equation .....	8-23
8.5.2 Empirical Power Relationships .....	8-23
8.5.3 Colby's Approach .....	8-29
8.5.4 Modified Einstein Method.....	8-33
8.5.5 Unit Stream Power Method.....	8-33
<b>CHAPTER 9. FUNDAMENTALS OF FLUVIAL GEOMORPHOLOGY AND NATURAL CHANNEL PROCESSES .....</b>	<b>9-1</b>
9.1 FLUVIAL GEOMORPHOLOGY.....	9-1
9.1.1 Fluvial System .....	9-1
9.1.2 Fluvial Geomorphic Concepts.....	9-2
9.2 CHANNEL MORPHOLOGY AND REGIME THEORY.....	9-4
9.2.1 Channel Dimensions.....	9-6
9.2.2 Channel Gradient .....	9-8
9.2.3 Channel Patterns.....	9-8
9.2.4 Channel Geometry and Cross Section.....	9-10
9.3 CHANNEL EVOLUTION .....	9-15
9.4 QUANTIFICATION OF THE EVOLUTIONARY SEQUENCE.....	9-19
9.5 CHANNEL STABILITY CONCEPTS.....	9-23
9.5.1 Stable Channel .....	9-23
9.5.2 System Instability.....	9-25
9.5.3 Causes of System Instability.....	9-26
9.5.4 Complexities and Multiple Factors .....	9-28
9.5.5 Local Instability .....	9-29
9.6 BANKFULL CHANNEL AND GEOMORPHOLOGY.....	9-30
9.6.1 Bankfull Discharge.....	9-31
9.6.2 Channel-Forming or Effective Discharge .....	9-35
9.6.3 Dominant Discharge .....	9-37
9.6.4 Channel Design Considerations.....	9-37
<b>CHAPTER 10. SEDIMENT TRANSPORT ANALYSIS.....</b>	<b>10-1</b>
10.1 GENERAL CONCEPTS .....	10-1
10.2 LEVEL I ANALYSIS .....	10-1
10.2.1 Bed and Bank Material Sampling and Analysis.....	10-1
10.2.2 Sediment Inflow Loading Collection and Analysis .....	10-6
10.2.3 Flood History and Watershed Response.....	10-7

	<b>Page</b>
10.3 LEVEL II ANALYSIS .....	10-8
10.3.1 Watershed Sediment Yield .....	10-8
10.3.2 Profile Analysis .....	10-20
10.3.3 Incipient Motion Analysis .....	10-22
10.3.4 Armoring Potential .....	10-24
10.3.5 Sediment Transport Capacity and Sediment Discharge Rating Curve .....	10-25
10.3.6 Equilibrium Slope.....	10-30
10.3.7 Sediment Continuity Analysis Using SAM.....	10-34
10.3.8 Local Scour Concepts.....	10-39
10.3.8.1 Bridge Pier Scour.....	10-41
10.3.8.2 Contraction Scour .....	10-47
10.3.8.3 Bend Scour.....	10-49
10.3.9 Evaluation of Low-Flow Channel Incisement.....	10-53
10.3.10 Cumulative Channel Adjustment.....	10-53
10.4 LEVEL III ANALYSIS .....	10-54
10.4.1 General.....	10-54
10.4.2 HEC-6 Modeling .....	10-55
10.4.3 Application of Level III Analysis.....	10-59

## LIST OF FIGURES

Figure 1-1. Cross Sectional Analysis of Mid Coyote Creek.....	1-3
Figure 1-2. Pattern Measurements of a Meander Bend (Rosgen, 1996).....	1-4
Figure 1-3. Plan-Form Measurements and Dimensionless Ratios (Rosgen, 1996).....	1-5
Figure 1-4. Sinuosity Measurement (Rosgen,1996) .....	1-5
Figure 1-5. Radius of Curvature (Rosgen,1996).....	1-6
Figure 1-6. Step-Pools in the Hidden Villa Reach of Adobe Creek .....	1-6
Figure 1-7. Riffle-Pools in Stevens Creek Near Blackberry Farm. Riffle in the Foreground and Pool in the Background.....	1-7
Figure 1-8. Riffle and Bend Pool in Calabazas Creek.....	1-7
Figure 1-9. Comparative Thalweg Analysis for Calabazas Creek Downstream of Comer Debris Basin.....	1-9
Figure 1-11. Effective Discharge Calculation Procedure .....	1-4
Figure 1.C-2. Use “get_data.m” to extract data .....	1-8
Figure 1.C-3. Use “read_old_data.m” to extract data.....	1-9
Figure 1.C-4. Use “get_data2.m” to extract data. ....	1-9
Figure 1.C-5. Comparison of 15min and Averaged Flow Time Series .....	1-10
Figure 1.C-6. Flow Frequency Curve for 15min data .....	1-10
Figure 1.C-7. Cross Section Used for Sediment Rating Curve: Station 304+00. ....	1-11
Figure 1.C-8. Calabazas at Lawrence: Gradation Curve .....	1-11
Figure 1.C-9. Sediment Rating Curve From Upstream of Lawrence.....	1-12
Figure 1.C-10. The Sediment Rating Curve, Flow Frequency Curve, and Sediment Load Curve .....	1-12
Figure 1.C-11. Flood Flow Frequency Curve for Calabazas Gage SF 26A.....	1-13

Figure 1.D-1. Longitudinal Creek Walk Record Showing Sizes and Locations of Riffles and Pools .....	1-15
Figure 1.D-2. Example of Surface Sediment in Calabazas Creek, Reach 30 .....	1-16
Figure 1.D-3. Example of Surface Sediment in Calabazas Creek, Reach 28 .....	1-16
Figure 2-1. Definition Sketch of a Compound Trapezoidal Cross-Section .....	2-5
Figure 2-2. Steps of the 'Annual Yield' Method for Estimating Equilibrium Slope.....	2-11
Figure 2-3a. Permissible Velocities for Cohesive Materials [ASCE 1992].....	2-19
Figure 2-3b. Permissible Velocities for Non-Cohesive Materials [ASCE 1992] .....	2-19
Figure 2-3c. Correction Factor for Depth Effect.....	2-20
Figure 2.A-1. Flow Data at Wilcox Gauge Station for water years 1999 – 2004. Zero flows have been removed from the record, which is treated as a continuous flow record for the purposes of our sediment transport analysis.....	2A-3
Figure 2.A-2. Sediment samples collected at various stations along Calabazas Creek, in the vicinity of Comer Debris Dam .....	2A-4
Figure 2.A-3. Averaged sediment profiles at 6 stations near Comer Debris Dam. The "average of averages" (i.e., the average of the 17 samples collected near the project site) profile was used in calculations of sediment transport capacity for each reach of channel.....	2A-5
Figure 2.A-4. Picture taken at the beginning of a pool in Reach 2 .....	2A-8
Figure 2.A-5. Zoomed out picture of a riffle in Reach 2, just below Comer Debris Dam.....	2A-9
Figure 2.A-7. Definition of reaches 0- 4 relative to the thalweg profile for the existing conditions. Thalweg elevation data were obtained from the 2006 HEC-RAS model .....	2A-10
Figure 2.A-8. A channel cross section located about 500 feet upstream of Comer Dam superimposed on the design channel .....	2A-14
Figure 2.A-9. Bed profiles developed for Alternative 3. The profiles for Alternatives 3a, 3b and 3b1 show the profiles used in each successive iteration of the equilibrium slope procedure .....	2A-15
Figure 2.A-10. Sediment transport rating curves developed for each reach for Alternative 3. LEFT: The rating curves before they have been adjusted by the armoring factor. RIGHT: The rating curves for each reach after they have been adjusted for the armoring factors .....	2A-17
Figure 2.A-11. Average annual sediment transport capacity (computed with 6 years of flow data from 1999-2004) for Alternative 3 (version b1). LEFT: Results before adjustment for armoring. RIGHT: Results after armoring adjustment has been made.....	2A-18
Figure 3-1. Spacing of Grade Control Structures (Adapted From Mussetter 1982).....	3-3
Figure 3-2. Siting of Bed Control Structures (Adapted From Biedenharn and Hubbard, 2001) .....	3-4
Figure 3-3. Siting of Hydraulic Control Structures (Adapted From Biedenharn and Hubbard, 2001) .....	3-5
Figure 3-4a. Straight Log Weir .....	3-11
Figure 3-4b. Downstream – V Log Weir .....	3-12
Figure 3-4c. Upstream – V Log Weir .....	3-13
Figure 3-4d. Diagonal Log Weir .....	3-14
Figure 3-4e. Typical Design of Bolt Connector for Log Anchors .....	3-17
Figure 3-5. Straight Rock Weir .....	3-18
Figure 3-6. Vortex Rock Weir .....	3-20
Figure 3-7. Newberry Riffle .....	3-23
Figure 4-1. Toe Erosion on Calabazas Creek .....	4-7
Figure 4-2a. Erosion on a Steep Channel Bank of Calabazas Creek .....	4-8



	<b>Page</b>
Figure 4-2b. Combination of Hydraulic Forces and Slope Instability Caused Failure of the Fence Post .....	4-8
Figure 4-3. Mild Slope Erosion and Repair on Alamitos Creek .....	4-10
Figure 4-4. Rock Toe Protection .....	4-15
Figure 4-5. Rootwad and Rock Toe Protection.....	4-16
Figure 4-6. Rootwads and Rocks in a Bankfull-Channel-Floodplain Setting [FISRWG 2001].....	4-17
Figure 4-7. Flow Around Bends.....	4-18
Figure 4-8. Rootwad and Rock Toe Protection After Construction.....	4-20
Figure 4-9. Log Toe Protection With Willow Planting on Alamitos Creek, Five Years After Construction .....	4-21
Figure 4-10. Log Toe Protection on Roaring Fork River, Colorado .....	4-23
Figure 4-11a. Geocells on Calabazas Creek Downstream of Rainbow Drive .....	4-24
Figure 4-11b. Geocells on Calabazas Creek Downstream of Rainbow Drive .....	4-25
Figure 4-12a. Cross-Sectional Profile of a Log Mattress Protection.....	4-27
Figure 4-12b. Example of Erosion Site Applicable for Log Mattress Protection .....	4-28
Figure 4-12c. Cross-Section of Log Mattress .....	4-30
Figure 4-12d. Plan View of Log Mattress Structure .....	4-31
Figure 4-13a. Log Crib Wall [FISRWG 2001] .....	4-32
Figure 4-13b. Section Detail of Log Crib Wall Structure .....	4-34
Figure 4-13c. Plan View of Log Crib Wall Structure.....	4-35
Figure 4-13d. Saratoga Creek Before Construction–Failed Concrete Sack Wall .....	4-37
Figure 4-13e. Saratoga Creek Post Crib Wall Construction.....	4-37
Figure 4-14. Bank Shaping and Planting (From FISRWG 2001) .....	4-37
Figure 4-15. Natural Fiber Rolls [From FISRWG 2001] .....	4-39
Figure 4-16a. Details of Natural Fiber Rolls.....	4-41
Figure 4-16b. Natural Fiber Roll Installation on Canoas Creek.....	4-42
Figure 4-17. Brush Mattresses [FISRWG 2001] .....	4-42
Figure 4-18. Detail of Brush Mattress.....	4-44
Figure 4-19. Brush Layering [FISRWG 2001].....	4-45
Figure 4-20a. Details of Brush Layering .....	4-47
Figure 4-20b. Section View of Brush Layering.....	4-48
Figure 4-21. Rock Riprap [FISRWG 2001] .....	4-49
Figure 4-22. Section View of Riprap Design.....	4-51
Figure 4-23. Vegetated Rock Riprap [FISRWG 2001] .....	4-52
Figure 4-24. Lunker Protection [FISRWG 2001].....	4-53
Figure 5-1. Sample Gradation Limits of USACE [1994].....	5-6
Figure 5-2. Wrapping Filter Fabric Around Edge of Riprap Toe [FHWA 1989].....	5-15
Figure 5-3a. Typical Dry Detention Basin .....	5-18
Figure 5-3b. Dry Detention Basin – Victoria Park, Sydney, Australia.....	5-18
Figure 5-3c. Dry Detention Basin – Smith Park, Sydney, Australia.....	5-19
Figure 5-4. Looking Upstream at an Outlet Structure With Multiple Outflow Openings to Meet Project Requirements .....	5-24
Figure 5-5. Storm Drain Outfall in a Typical Bankfull Channel [SCVWD 2007] .....	5-27
Figure 5-6a. Design of Storm Drain Outfall on a Mild Bank Slope .....	5-28
Figure 5-6b. Design of Storm Drain Outfall on a Steep Bank Slope.....	5-29
Figure 5-7. Characteristic Forms of Hydraulic Jump Related to Froude Number [USBR 1987] .....	5-31
Figure 5-8. Hydraulic Jump Properties in Relation to Froude Number .....	5-32
Figure 5-9. Type IV USBR Stilling Basin for $2.5 < Fr \leq 4.5$ .....	5-34

	<b>Page</b>
Figure 5-10. Type III USBR Stilling Basin for $Fr > 4.5$ .....	5-35
Figure 5-11. Chute Drop Channel at Comer Debris Basin of Calabazas Creek .....	5-36
Figure 5-12. Basic Properties of a Chute Drop Channel [USBR 1987] .....	5-37
Figure 5-13. Impact Stilling Basin [USBR 1987] .....	5-39
Figure 5-14. Impact Stilling Basin Modified to Facilitate Drainage [Maricopa County 1996]..	5-40
Figure 5-15. Scour Hole Definition Sketch [Thomas et al. 2000] .....	5-42
Figure 5-16. Preformed Scour Hole at Pipe Outlet [USACE 1987] .....	5-44
Figure 5-17. Channel Transition Types [FHWA, 2006] .....	5-47
Figure 5-18. Diurnal Tidal Cycles of the San Francisco Bay Area .....	5-49
Figure 6-1. Excessive Elevation Drop (Alamitos Drop Structure, Guadalupe River) .....	6-1
Figure 6-2. Excessive Flow Velocity Downstream of a Culvert (From US Dept of Agriculture Forestry Dept.) .....	6-2
Figure 6-3. Shallow Depth of Supercritical Flow in Culvert (From Road Engineering Journal, Transafety, Inc.) .....	6-2
Figure 6-4. Steelhead Trout .....	6-3
Figure 6-5. Flow Duration Curve for Stevens Creek at Gauge Station 35.....	6-6
Figure 6-6. Hillsdale Rock Weir Fish Passage Improvement .....	6-9
Figure 6-7. Pool and Weir Fishway at Alamitos Drop Structure .....	6-10
Figure 6-8. Plunging and Streaming Flow Regimes [USACE 1991].....	6-11
Figure 6-9. Compound Weir Shape at Masson Dam on Guadalupe Creek.....	6-12
Figure 6-10. Vertical Slot Fishway [From FAO Fisheries Department].....	6-15
Figure 6-11. Typical Vertical Slot Fishway Layout [Bates 1997] .....	6-16
Figure 6-12. Denil Fishway in Operation (From Massachusetts Dept. of Marine Fisheries) .....	6-17
Figure 6-13. Allowable Velocity Vs. Culvert Length [Bates, 1997] .....	6-18
Figure 7-1(a). A natural channel cross-section – Permanente Creek near Amphitheater. This section of Permanente Creek is in the tidal reach, with a bottom elevation near the mean sea level. Hence, we have a pseudo base-flow condition. The bank-full channel corresponds well to the 1.5-year flow rate, 240 cfs. The 100-year (2400 cfs) flood plains cover the trails on both sides of the creek. ....	7-2
Figure 7-1(b). Guadalupe River near Blue Jay Drive. Looking upstream. 100-year flow = 12,400 cfs and 1.5-year flow = 1200 cfs. Channel has capacity to contain 100-year flow at this location. Flood plain is mostly on the left hand side with Almaden Expressway embankment on the right. ....	7-2
Figure 7-2(a). Permanente Creek looking downstream from Hwy 101 towards Charleston. Concrete and concrete sacks line the channel to support steep channel banks following urbanization. Construction work completed in 1963. ....	7-3
Figure 7-3. Channel Classification Based on Pattern and Type of Sediment Load [Schumm and Meyer 1979].....	7-5
Figure 7-4. Three-Dimensional Coordinate System.....	7-7
Figure 7-5. Definition Sketch for the Equation of Continuity.....	7-8
Figure 7-6. Application of Bernoulli Equation to Open Channel Flows .....	7-11
Figure 7-7. Specific Energy Applied to Channel Bottom Elevation Change .....	7-13
Figure 7-8. Specific Energy Applied to Channel Width Change .....	7-13
Figure 7-9. Changes in Flow Regime Produced by Increase in Channel Bottom Elevation ..	7-17
Figure 7-10. Definition Sketch for Application of the Momentum Equation .....	7-18
Figure 7-11. Application of the Momentum Function .....	7-20
Figure 7-12. Definition Sketch for the Resistance Equation.....	7-21
Figure 7-13. Relationship Between Absolute Boundary Roughness and the Manning's $n$ ....	7-24
Figure 7-14. Manning's $n$ in grassed channels .....	7-25
Figure 7-15. Critical flow at a change of slope.....	7-27

	<b>Page</b>
Figure 7-16. Longitudinal Flow Profiles on a Mild Slope .....	7-28
Figure 7-17. Longitudinal Profiles on Various Types of Slopes.....	7-29
Figure 7-18. Sharp-Crested Weir .....	7-30
Figure 7-19. Typical Designs of Rectangular and Triangular Weirs .....	7-31
Figure 7-20. Broad-Crested Weirs.....	7-32
Figure 7-21. Flow Over a Drop Structure.....	7-33
Figure 7-22. Hydraulic Jump at an Abrupt Rise, After J. W. Forster and R. A. Skrinde [1950].....	7-34
Figure 7-23. Hydraulic jump at an abrupt drop, after E. Y. Hsu [1950].....	7-35
Figure 7-24. Sudden Expansion.....	7-36
Figure 7-25. Transverse Bed Profiles Required at a Channel Bend for Constant $q$ .....	7-38
Figure 7-26. Schematic Wave Pattern at a Circular Curve .....	7-39
Figure 8-1. Example of Sediment Degradation in Calabazas Creek .....	8-2
Figure 8-2. Example of Channel Downgrading in Stevens Creek .....	8-2
Figure 8-3. Example of Bank Erosion in Thompson Creek .....	8-3
Figure 8-4. AGU Standard Sediment Gradation Graph Paper .....	8-6
Figure 8-5a. Definition of Sediment Load Components (Simons, Li & Associates, Inc., [1982]).....	8-7
Figure 8-5b. Definition Sketch of Suspended Sediment Concentration Distributions .....	8-9
Figure 8-5c. Factor $x$ in the Velocity Distribution Equation .....	8-10
Figure 8-6a. Einstein's Bed Load Transport Relationship [Einstein 1950].....	8-12
Figure 8-6b. Factor $\xi$ in Einstein's Bed Load Function in Terms of $d_{si}/X$ .....	8-13
Figure 8-6c. Factor $Y_c$ in Einstein's Bed Load Function in Terms of $d_{65}/\delta$ .....	8-14
Figure 8-7. Bed Forms as a Function of Stream Power and Fall Diameters of Bed Sediment [Simons and Richardson 1966].....	8-17
Figure 8-8. Distribution of Boundary Shear Stress .....	8-18
Figure 8-9. Maximum Unit Tractive Force for Various Channel Geometries, Lane and Carlson [1953].....	8-19
Figure 8-10. Effect of Curvature on Boundary Shear Stress.....	8-20
Figure 8-11a. Shields Diagram With Additional Data From Several Other Researchers.....	8-20
Figure 8-11b. Adjusted Shields Diagram Per Gessler [1971].....	8-21
Figure 8-12. Colby [1964] Bed Load Transport Relationships .....	8-30
Figure 8-13. Water Temperature Correction Factor.....	8-31
Figure 8-14. Fine Sediment Correction Factor.....	8-31
Figure 8-15. Correction for Median Particle Size .....	8-32
Figure 9-1a. The Fluvial System [Schumm, 1977].....	9-1
Figure 9-1b. Watershed Delineation of the Santa Clara Valley.....	9-2
Figure 9-2a. Definition Sketch of Meander Wavelength and Sinuosity .....	9-9
Figure 9-2b. Typical Meandering River [Watson et. al. 1999] .....	9-9
Figure 9-3. Typical Braided River [Watson et. al. 1999].....	9-10
Figure 9-4. Features Associated With Straight and Meandering Rivers [Watson et. al. 1999].....	9-11
Figure 9-5a. Typical Plan and Cross Sectional View of Pools and Crossings [Watson et al. 1999].....	9-12
Figure 9-5b. Example of Bankfull Channel of Adobe Creek in Palo Alto.....	9-14
Figure 9-6. Incised Channel Evolution Sequence [Schumm et. al. 1984].....	9-16
Figure 9-7. Hickahala Creek Watershed, Slope-Drainage Area Relationship [Watson et al., 1999].....	9-18
Figure 9-8. Comparison of the Channel Evolution Sequence and the Channel Stability Diagram [After Watson et. al., 1999].....	9-20

Figure 9-9. Creek Channels of Hickahala Watershed Plotted on $N_g$ - $N_h$ Diagram [USACE, 1990] .....	9-22
Figure 9-10. Dimensionless Stability Diagram Showing Effect of Stabilization Measures Applied on Two Hypothetical Streams [Watson et. al. 1999] .....	9-22
Figure 9-11a. Types of Channel Equilibrium Defined by Chorley and Kennedy [1971] .....	9-23
Figure 9-11b. Schematic of the Lane Relationship for Qualitative Analysis [After Lane, 1955, from Rosgen, 1996]. .....	9-25
Figure 9-12a. Bankfull Stage Using Width-Depth Ratio, After [Knighton 1984] .....	9-31
Figure 9-12b(1). Definition Sketch of Channel Cross-Section .....	9-32
Figure 9-12b(2). Variation of Energy Slope With Floodplain Width .....	9-33
Figure 9-12b(3). Variation of Bottom Shear Stress With Floodplain Width .....	9-34
Figure 9-13. Bankfull Discharge as a Function of Drainage Area, Emmett [1975] .....	9-35
Figure 9-14. Derivation of Effective (Channel-Forming) Discharge .....	9-36
Figure 10-1. Gradation Curves of Soil Samples of Los Gatos Creek at Twinbrooks Drive ....	10-6
Figure 10-2. Soil Erodibility Nomograph Used to Determine MUSLE Factor $K$ for Specific Topsoils or Subsoil Horizons [From Wischmeier <i>et al.</i> , 1971] .....	10-14
Figure 10-3. Relationship Curves for Canopy Cover Factor $C_i$ and Canopy Density, for Canopy Heights Between 0.5 m and 4 m [After Wischmeier, 1972] .....	10-16
Figure 10-4. Relationship Curve for Mulch Factor $C_{ii}$ and Percent Surface Cover by Mulch or Close-Growing Vegetation [After Wischmeier, 1972] .....	10-17
Figure 10-5. Relationship of Tillage and Residual Land Use Factor $C_{iii}$ and the Percent of Root Network in the Topsoil Relative to That in a Good Rotation Meadow [After Wischmeier, 1972] .....	10-18
Figure 10-6. Thalweg Changes in Calabazas Creek Between Homestead and Pruneridge .....	10-22
Figure 10-7. Frequency of Motion for Various Particle Sizes [After Simons, Li & Associates, 1982] .....	10-23
Figure 10-8. Sediment discharge Rating Curve for the Reach of Channel Upstream of Comer Debris Basin on Calabazas Creek .....	10-29
Figure 10-9. Relationship Between Equilibrium Slope and Channel Bed Controls [After Simons, Li & Associates, 1982] .....	10-33
Figure 10-10. Typical Temporal Depth Change of Scour Hole During a Storm [After Simons, Li & Associates, 1982]. .....	10-40
Figure 10-11. Common Pier Shapes [After Simons, Li & Associates, 1982] .....	10-42
Figure 10-12. Scour Increase Factor, $K_{aL}$ , With Various Approaching Flow Angles [AFTER Lauren and Toch, 1956] .....	10-43
Figure 10-13. Definition Sketch of Embankment Length "a" [After Simons, Li & Associates, 1982]. .....	10-45
Figure 10-14. Illustration of Terminology or Bend Scour Calculations [After Simons, Li & Associates, 1982]. .....	10-50
Figure 10-15. HEC-6 Computation .....	10-56
Figure 10-16. Channel Degradation on Calabazas Creek D/S of Pruneridge Road .....	10-59

## LIST OF TABLES

Table 1.C-1 Calabazas Creek at Lawrence: Effective Discharges Calculation Results.....	1-14
Table 2-1 Hydraulic Input Data for Computing a Sediment Rating Curve .....	2-13
Table 2-2 Maximum Permissible Velocities Recommended by Fortier and Scobey [1926] and Corresponding Shear Stress Converted by USBR for Straight Channels of Small Slope and Water Depth Less Than 3 ft.....	2-18
Table 2.A-1 Bed Armoring Factors for Calabazas Creek, Near Comer Debris Basin.....	2A-6
Table 2.A-2 Characterization of Channel Geometry in Reaches 1-4 .....	2A-11
Table 2.A-3 Computed Values of Average Annual Sediment Transport Capacity (tons/year) using Different Sediment Transport Equations. Values are rounded to the nearest 5 .....	2A-12
Table 2.A-4 Recommended Stable Cross Section Dimensions for Calabazas Creek Near Comer Debris Basin .....	2A-14
Table 2.A-5 Average Annual Sediment Transport Capacity for Different Versions of Alternative 3. Values are rounded to the nearest 5. ....	2A-17
Table 3-1 Specific Gravity of Dry Wood .....	3-10
Table 4-1 Summary of Design Conditions for Bank Protection Methods .....	4-12
Table 4-2 Suggested Spacing for Brush Layers .....	4-47
Table 5-1 Gradations for Riprap Placement in Low Turbulence Zones From USACE [1994]...	5-5
Table 5-2 Outside Layer Design for Caltrans [2000].....	5-8
Table 5-3 Multi-Layer Design for Caltrans [2000] .....	5-9
Table 5-4 Minimum Layer Thickness for Caltrans [2000] Riprap Design .....	5-10
Table 5-5 Specifications for Woven Filter Fabric Material.....	5-14
Table 5-6 Relative Importance of Terms in Scour Hole Design .....	5-43
Table 5-7 Natural Plunge Pool Morphologic Data [Allan And Estes, 2005].....	5-45
Table 6-1. Flow Statistics for Streamflow Gage Station 35 at Stevens Creek* .....	6-5
Table 6-2 High and Low Design Flows for Fish Passage .....	6-6
Table 6-3 Minimum Water Depth in Fish Passage .....	6-7
Table 6-4 Channel Length vs. Maximum Average Velocity for Adult Salmonids .....	6-8
Table 7-1 Classification of Grass by Length and Stand .....	7-25
Table 7-2 Transition Loss Coefficient .....	7-37
Table 7-3 Short and Steep Box Culvert Discharge Relationships .....	7-40
Table 7-4 Culvert Entrance Loss Coefficients .....	7-41
Table 8-1 Sediment Grade Scale .....	8-4
Table 8-2 Summary of Some Commonly Used Sediment Transport Equations.....	8-22
Table 8-3 Results of Regression Analysis for Empirical Power Relationships $(q_{bmT} = a Y_h^b V^c)$ when $0.001 \leq S_o \leq 0.01$ .....	8-25
Table 8-4 Results of Regression Analysis for Empirical Power Relationships $(q_{bmT} = a Y_h^b V^c)$ when $0.01 \leq S_o \leq 0.04$ .....	8-26
Table 8-5 Range of Parameters Examined for Power Relationship .....	8-29
Table 10-1 Recommended Size Range, Analysis Concentration, and Quantity of Sediment for Commonly Used Methods of Particle Size Analysis [after ARS, 1979].....	10-3
Table 10-2 Minimum Recommended Sample Weights for Sieve Analysis [USACE, 1970]....	10-4
Table 10-3 Factors Influencing Sediment Yield Rating, According to PSIAC Methodology..	10-11
Table 10-4 Sediment Yield Classifications, Based on PSIAC Methodology.....	10-12
Table 10-5 Conservation Practice Factor P for Contouring, Strip Farming, and Terracing on Varying Land Slopes .....	10-18
Table 10-6 Incipient Motion Characteristics.....	10-24

	<b>Page</b>
Table 10-7 Short-Term General Scour/Deposition Response for Calabazas Creek Near Comer Debris Basin .....	10-38
Table 10-8 Reduction Factors When Applying Formulas for Square Nose Piers to Other Shapes (assuming equal projected widths of piers) .....	10-42

### **LIST OF APPENDICES**

APPENDIX 1A Field Investigation Data Base .....	1A-1
APPENDIX 1B Channel Modification Activities & Impacts .....	1B-1
APPENDIX 1C Effective Discharge .....	1C-1
APPENDIX 1D Field Investigation Records .....	1D-15
APPENDIX 2A An Example Application of Equilibrium Slope Procedure .....	2A-1
APPENDIX A Rock Size Distribution Graph Paper .....	5-4
APPENDIX 10A Bed Material Sampling and Analysis Guidelines .....	10A-1
APPENDIX 10B Suspended and Bed-Load Sediment Sampling Guidance .....	10B-1
APPENDIX 10C Compute Sediment Transport Rate Using SAM .....	10C-1
APPENDIX 10D HEC-6 Input Data Development .....	10D-1
APPENDIX 10E Photos of Sediment Collection Equipment .....	10E-1

### **BIBLIOGRAPHY**